46.82" width with bleed (Accent Header 2)

45.82" visual width (Accent Header 2)

12.96" visual height (Accent Header 1)

when headers are mounted to system there will be a 3/4" gap between the header and main panel.

7.61" visual height (Accent Header 2)

PANEL C (HEADER 1)

PANEL D (HEADER 2)

PANEL E (HEADER 1)

PANEL F (HEADER 2)

PANEL B (WING)

PANEL A (WING)

PANEL G (WING)

PANEL H (WING)

Linear:
Linear Kit 27: 20X10 Booth

Graphics @ 50%
Center 10X10 (Qty 2)
Total Graphic Area: 97.625"w X 88"h
Trim Graphic Area: 93.625"w X 84"h

Connector Panel
Total Graphic Area: 26.25"w X 88"h
Trim Graphic Area: 22.25"w X 84"h

Please be sure to include a 2" bleed around the perimeter of the center and connector graphics

Panels A, B, G, and H (Accent Wings):
Total Graphic Area:11.4"w X 42.63"h
Trim Graphic Area: 10.4"w X 41.63"h

Panels D and E (Accent Header 1):
Total Graphic Area: 46.76"w X 8.61"h
Trim Graphic Area: 45.76"w X 7.61"h

Panels C and F (Accent Header 2):
Total Graphic Area: 46.82"w X 13.96"h
Trim Graphic Area: 45.82"w X 12.96"h

Please be sure to include a 1/2" bleed around the perimeter of all wings and header graphics

Please consider obstructions such as tables when designing your graphics

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi at half scale, 100-120 ppi at full scale
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print

bleed
trim

bleed area
trim line
safe zone

Linear:
Linear Kit 27: 20X10 Booth

Graphics @ 50%
Center 10X10 (Qty 2)
Total Graphic Area: 97.625”w X 88”h
Trim Graphic Area: 93.625”w X 84”h

Connector Panel
Total Graphic Area: 26.25”w X 88”h
Trim Graphic Area: 22.25“w X 84”h

Please be sure to include a 2” bleed around the perimeter of the center and connector graphics

Panels A, B, G, and H (Accent Wings):
Total Graphic Area:11.4“w X 42.63”h
Trim Graphic Area: 10.4”w X 41.63”h

Panels D and E (Accent Header 1):
Total Graphic Area: 46.76”w X 8.61”h
Trim Graphic Area: 45.76“w X 7.61”h

Panels C and F (Accent Header 2):
Total Graphic Area: 46.82”w X 13.96”h
Trim Graphic Area: 45.82”w X 12.96”h

Please be sure to include a 1/2” bleed around the perimeter of all wings and header graphics

Please consider obstructions such as tables when designing your graphics

General Art Guidelines:

- CMYK Color Mode
- All Solid Coated Pantone colors should be called out in the art as spot colors
- Embed all images and support files
- Resolution must be 200-240 ppi at half scale, 100-120 ppi at full scale
- All fonts must be created to outlines
- Do not scale artboard
- Background color/images must bleed to the edge of artboard
- Do not use spot colors from template in your artwork as they will not print



bleed area
trim line
safe zone

PANEL A (WING)

PANEL B
(WING)

PANEL C (HEADER 1)

PANEL D (HEADER 2)

PANEL E (HEADER 1)

PANEL F (HEADER 2)

PANEL G
(WING)

PANEL H
(WING)

bleed

trim